

The TAB range is now complete: closer and closer to your desires.

Lots of features are common to all models for a range designed to suit every need.



TAB Free.
Freedom of voice.

Modern appeal.

Simple but not square,
minimal but not severe.
One of a kind.

Inspired by the light and understated aesthetic so characteristic of the very latest technological devices, Tab video door entry systems are compact, with soft lines that diminish corners and melt into a smooth surface.

Soft profile.

Everything outside the walls of
your home is contained within
a thickness of just 2.6 cm.

Inspired by optimum slimness:
the device is simply placed on a
wall fixing bracket to create a subtle
“suspended” effect that emphasises
its design and finish, as well as its
ultra-thin profile, just 2.6 cm.



Video door entry systems

Tab Free video door entry unit

Speakerphone Tab Free video door entry unit for Due Fili Plus system

Speakerphone video door entry unit made of thermoplastic material with 3.5" LCD colour display. Equipped with keypad for the main video door entry functions: speak/listen, door lock release, selfstart, auxiliary services (stair lighting), ringtone muting and 4 programmable additional buttons that can execute up to 4 auxiliary functions or intercommunicating calls.

It is possible to control: brightness, ringtone volume and muting when "User Away" function is activated. Possibility of ringtone type selection for calls made from different points, e.g.: outdoor entrance panel, landing call, intercom call.

LED signalling of "door/gate open" and "Unanswered calls" (up to 4 calls with video door entry unit in ringtone muted mode).

For use in Elvox Due Fili Plus systems with power supply 6922 or 6922.1.

The speakerphone video door unit is provided of the functions for hearing aid wearers.

Conformity to standards

EMC Directive

Main technical specifications

- Due Fili Plus Bus power supply.
- 3.5" LCD display.
- Video door entry unit made of ABS with mirror gloss finish on front panel.
- Touch-sensitive keypad with backlit symbols (during operation).
- Electronic ringtone: with diversification between 10 different melodies signalling entrance panel calls, intercom calls and landing calls.
- Input for landing call.
- Designed for surface mounting with metallic baseplate or fitting in a box (can be mounted directly onto the wall using wall plugs or to a 3-module flush mounting box or Ø 60 mm round flush mounting box or 56x56 mm flush mounting box).
- Video door entry unit dimensions: 131x150x26,5 mm.
- The video door entry unit can coexist with other units from other series and can be used also with entrance panels of Due Fili Plus system.

Technical data

Inputs	
power supply from Bus	28 Vdc rated voltage
absorption stand-by	10 mA
max absorption operation	160 mA
operating temperature	0° to +40° C

Adjustments and connections

A) Side adjustment of the volume.

B) Side adjustment of the brightness.

C) Terminal block for video door entry unit connection: to the Due Fili Plus system and to an external push button for landing calls.

Touch-sensitive keypad and indicator light signalling



Speak/listen button.



Self-start push button.



Lock opening push button.



Auxiliary 1 (Stair light): for auxiliary service.




Ringtone mute push button and signalling of:

- (flashing light) incoming call from outdoor entrance panel or intercom device.
- (steady light) ringtone muted.
- (steady light that flashes every 10s, while the ringtone is muted) calls have been made from the entrance panel.




Programmable push buttons for activating auxiliary services or intercom calls.

Brightness and volume control and connection terminal block



Touch-sensitive keypad and indicator light signalling



Video door entry systems

Tab Free video door entry unit



Video door entry units


- ▲ **7539 /04** Surface mounting speakerphone Tab Free video door entry unit for Due Fili Plus system with 3.5" colour LCD display, touch-sensitive keypad for interphone functions and intercom calls, bracket for fixing in round or rectangular mounting box



▲ **7539**
white



▲ **7539/04**
black



Accessories - Tab Free series video door entry units

- ▲ **753V** Table box for Tab and Tab Free video door entry units, with 2 m of cable and pullout socket and plug

Video door entry system kit

- ▲ **7539/M** Due Fili Plus speakerphone video door entry kit, containing: 1x13K1 audio/video entrance panel, 1 x R131 button, 1 x 13F2 electronic unit, 1 x 7539 Tab Free speakerphone unit, white and 1 x 6922 power supply unit
- ▲ **7539/K** Due Fili Plus speakerphone video door entry kit, containing: 1x1321 audio/video entrance panel, 1 x 9192 flush mounting box, 1 x 13F5 electronic unit, 1 x 7539 Tab Free speakerphone unit, white and 1 x 6922 power supply unit



▲ **7539/M**



▲ **7539/K**

